NORMAL AND ABNORMAL DEVELOPMENT

SECOND PRINTING

The Influence of Primitive Reflexes on Motor Development

MARY R. FIORENTINO, Mus. B., O.T.R.

Director of Occupational Therapy Newington Children's Hospital Newington, Connecticut

With a Foreword by

Myron E. Schafer, M.D.

Director, Cerebral Palsy Clinic Newington Children's Hospital Newington, Connecticut The purpose of this text is to orient physicians and therapists to the importance of knowing the developmental motor milestones as they relate to the normal child so that recognition of the lack of development as seen in the cerebral palsied is noted at an early stage.

CHARLES C THOMAS . PUBLISHER . SPRINGFIELD . ILLINOIS

NORMAL AND ABNORMAL DEVELOPMENT

NORMAL AND ABNORMAL DEVELOPMENT

The Influence of Primitive Reflexes

on Motor Development

Second Printing

By

MARY R. FIORENTINO, Mus. B., O.T.R.

Director of Occupational Therapy Newington Children's Hospital Newington, Connecticut

With a Foreword by

Myron E. Shafer, M.D.

Director, Cerebral Palsy Clinic Newington Children's Hospital Newington, Connecticut



CHARLES C THOMAS • PUBLISHER Springfield • Illinois • U.S.A. Published and Distributed Throughout the World by CHARLES C THOMAS • PUBLISHER BANNERSTONE HOUSE 301-327 East Lawrence Avenue, Springfield, Illinois, U.S.A.

This book is protected by copyright. No part of it may be reproduced in any manner without written permission from the publisher.

© 1972, by CHARLES C THOMAS • PUBLISHER ISBN 0-398-02278-X Library of Congress Catalog Card Number: 77-187652

First Printing, 1972 Second Printing, 1976

With THOMAS BOOKS careful attention is given to all details of manufacturing and design. It is the Publisher's desire to present books that are satisfactory as to their physical qualities and artistic possibilities and appropriate for their particular use. THOMAS BOOKS will be true to those laws of quality that assure a good name and good will.

> Printed in the United States of America M-3

To my Mother and Sister Carolina and Ella Fiorentino

FOREWORD

The treatment of the cerebral palsied child has in the recent decade progressed to the point where a deeper understanding of normal reflex development and persistent primitive reflexes is a necessity for the proper treatment of these children.

This book by Miss Fiorentino now provides both physicians and therapists with a graphic representation of these reflexes. It is invaluable in the early diagnosis of the cerebral palsied child under one year of age. This book will also be a useful guide in the evaluation of newer techniques in therapy since much of this evaluation will depend upon the persistence or absence of primitive reflexes.

The information in this book has for many years been used in evaluating and treating the cerebral palsied child at Newington Children's Hospital and has been completed as a result of the demand for Miss Fiorentino to put into writing the result of her work and teaching carried on both at Newington Children's Hospital and worldwide.

Myron E. Schafer

PREFACE

The developmental milestones of the normal child demonstrate the integration of the central nervous system with the lower, primitive patterns to the higher, more selective behavior necessary to the performance of every-day living.

Development of the cerebral palsied child is not normal due to the lack of integration within the central nervous system. As a result, one sees abnormal postural positioning influenced by abnormal primitive reflexes and abnormal tone. Such children, therefore, have delayed development and a lack of higher developmental function.

ACKNOWLEDGMENTS

Grateful appreciation is extended to the Newington Children's Hospital and to the Occupational Therapy Staff for their continued support and assistance; to Miss Constance M. Lundberg, O.T.R., Student Supervisor, and to Mrs. Betty Gamache, O.T.R., Assistant Director of Occupational Therapy, for their assistance in the preparation of this book; to Mr. Donald Gale, Photography Department; and to the children and parents who allowed their pictures to be used.

M.R.F.

CONTENTS

Foreword—Myron E. Shafer	vii
Preface	ix
Acknowledgments	xi
INTRODUCTION	3
Purpose	4
Procedure	5
Chapter	
I. BASIC CONCEPTS IN THE MATURATION OF NORMAL MOTOR	
Development	-
	- 7
II. Normal Developmental Motor Milestones	
	9
II. NORMAL DEVELOPMENTAL MOTOR MILESTONES	9 43
II. NORMAL DEVELOPMENTAL MOTOR MILESTONES	9 43 57
II. Normal Developmental Motor Milestones III. Influence of Primitive Reflexes to Motor Development IV. Early Diagnostic Signs Conclusion	9 43 57 60

NORMAL AND ABNORMAL DEVELOPMENT

INTRODUCTION

As we know it today, cerebral palsy is the result of brain damage or maldevelopment which occurs prenatally, natally, or postnatally. This means that the lesion acts on an immature brain, interfering with its normal process of maturation and with its normal orderly development. This is evidenced by an insufficiently developed postural reflex mechanism, such as poor head control; by a lack of inhibition, demonstrated by prolonged retention of the primitive total patterns of earliest childhood, and by abnormal tone; therefore, there are impaired patterns of movement and delayed motor development.

To understand and interpret correctly the nature of the motor deficit of children with cerebral palsy, one must have a good working knowledge of normal child development. One must be able to interpret a child's functional behavior in the development of normal postural reflex mechanisms and total patterns of motor coordination. Conversely, one must study the various abnormal postural reflexes, their specific patterns of incoordination, the way in which they differ from normal primitive patterns, and the manner in which they interfere with normal motor activity.

PURPOSE

The purpose of this book is to orient physicians and therapists to the importance of knowing the developmental motor milestones as they relate to the normal child so that recognition of the lack of development as seen in the cerebral palsied child is noted at an early stage of development. The book also gives an understanding of the analysis of factors contributing to this lack of development through the persistent influence of primitive reflexes resulting in abnormal postural patterns.

PROCEDURE

The following pages present basic concepts in the maturation of normal motor development; normal motor development at certain heirarchal stages with photographs of children from the ages of six days through fourteen months, illustrating the integration and modification of primitive reflexes and postural movements to the higher, more complex functions.

The last section illustrates the effect of persistent primitive reflexes on motor development. The resultant delay is specific to the level of motor development at which the child is performing.

Chapter I

BASIC CONCEPTS IN THE MATURATION OF NORMAL MOTOR DEVELOPMENT MOTOR DEVELOPMENT

Normal motor development proceeds in an orderly sequence of events; from the apedal, to the quadrupedal, to the bipedal level of maturation. The central nervous system acts as a coordinating organ for the many incoming sensory stimuli, producing integrated motor responses adequate to the requirements of the environment. As the nervous system develops, more centers are established, resulting in greater possibilities of interpretation and, therefore, greater combinations of muscular actions.

Muscles are grouped in coordinated action patterns. In the performance of our everyday movements we are not conscious of the function of the individual muscles concerned with the movements, nor can we follow up or direct voluntarily every part of a movement at every stage of it, a large part of such movements being automatic, especially those of postural adjustment.

We know that from birth onward we are activated by powerful afferents. These come from the outside world through the exteroceptors such as eyes, ears, skin; internally, from the interoceptors and proprioceptors. The normal central nervous system can absorb this afferent inflow and respond according to the changing demands of the environment. The central nervous system of the cerebral palsied cannot cope as well with the demands upon it. Though the nervous system has retained its ability to respond, the afferent inflow is short-circuited into the synaptic chains of the few typical, widespread, abnormal sensorimotor patterns of movement. Thus, motor dysfunction in movement seen in the cerebral palsied child is not a result of paralysis of muscles, but to abnormal coordination, to abnormal patterning of muscle throughout the affected parts.

LEARNING OF MOVEMENTS

The learning of movements is entirely dependent upon sensory experience; sensory input which not only initiates but also guides motor output. We know from animal and human studies that sensory deprivation does alter behavior, that it does affect the central nervous system, and that we must have sensory input to have motor output. This has always been known but has not been given sufficient thought.